

# Master-Clip HYPALON


Medium and high temperature hose for temperatures up to +175°C



Technical Drawing



Connections



Construction



## Material

- clip profile spiral: hot-dip galvanised steel band
- wall: HYPALON®-coated polyester fabric

## Applications

- Air-conditioning and ventilation systems
- Engine manufacturing
- Exhaust gas extraction
- Suction of aggressive media
- Transport of hot and cold air
- Granulate drying
- Standard industrial hose
- Automotive manufacturing
- Low pressure range
- Extractor units

## Properties

- hardly inflammable



350	0,056	0,01	245	2,5	221-350-107	000273:350:x	3-10	25
375	0,05	0,01	263	2,9	221-375-107	000273:375:x	3-10	25
400	0,047	0,01	280	3,1	221-400-107	000273:400:x	3-10	25
450	0,045	0,01	360	3,6	221-450-107	000273:450:x	3-10	25
500	0,043	0,01	400	4,1	221-500-107	000273:500:x	3-10	25
550	0,042	0,01	440	4,6	221-550-107	000273:550:x	3-10	25
600	0,039	0,01	480	5,1	221-600-107	000273:600:x	3-10	20
700	0,031	0,01	560	6	221-700-107	000273:700:x	3-10	20
800	0,022	0,01	640	6,9	221-800-107	000273:800:x	3-10	20
900	0,016	0,01	720	7,8	221-900-107	000273:900:x	3-10	20

All data refers to a medium and ambient temperature of +20 °C.

\* Refers to the inner hose lining

Subject to technical changes and colour deviations.

#### Available on request

- Available on request in other lengths, sizes, colours, spiral intervals, with stainless steel spirals.

#### Order-specific production

- Order-specific production in above listed sizes and lengths of 3 to 10m