

Master-Clip PTFE H


Suction and blower hose for corrosive media up to +175°C



Technical Drawing



Connections



Construction



Material

- clip profile spiral: hot-dip galvanised steel band
- wall: inner layer: PTFE foil, outer layer: HYPALON®-coated polyester fabric

Applications

- Paint mist extraction
- Paint, wood and paper industry
- Solvent extraction
- Suction/extraction of aggressive media in medium temperature range
- Pharmaceutical industry
- Low pressure range
- Chemicals industry

Properties

- outer chafing protection spiral
- excellent chemical resistance
- PTFE: no health risk
- vibration-proof

375	0,05	0,01	263	3,5	251-375-107	000358:375:x	3-10	20
400	0,047	0,01	280	3,8	251-400-107	000358:400:x	3-10	15
450	0,045	0,01	360	4,2	251-450-107	000358:450:x	3-10	15
500	0,043	0,01	400	4,7	251-500-107	000358:500:x	3-10	15
550	0,042	0,01	440	5,3	251-550-107	000358:550:x	3-10	10
600	0,039	0,01	480	5,9	251-600-107	000358:600:x	3-10	10
700	0,031	0,01	560	6,9	251-700-107	000358:700:x	3-10	10
800	0,022	0,01	640	7,6	251-800-107	000358:800:x	3-10	8
900	0,016	0,01	720	8,2	251-900-107	000358:900:x	3-10	8

All data refers to a medium and ambient temperature of +20 °C.

* Refers to the inner hose lining

Subject to technical changes and colour deviations.

Available on request

- Available on request in other lengths, sizes, colours, spiral intervals, with stainless steel spirals.

Order-specific production

- Order-specific production in above listed sizes and lengths of 3 to 10m