

Master-Clip PTFE S


Suction and blower hose for corrosive media up to +250°C



Technical Drawing



Connections



Construction



Material

- clip profile spiral: hot-dip galvanised steel band
- wall: inner layer: PTFE foil, outer layer: silicone-coated glass fabric

Applications

- Paint mist extraction
- Paint, wood and paper industry
- Solvent extraction
- Suction/extraction of aggressive media in medium temperature range
- Pharmaceutical industry
- Low pressure range
- Chemicals industry

Properties

- outer chafing protection spiral
- excellent chemical resistance
- PTFE: no health risk
- cold and heat resistant

450	0,027	0,01	360	4,2	252-450-116	000361:450:x	3-10	10
500	0,023	0,01	400	4,7	252-500-116	000361:500:x	3-10	10
550	0,02	0,01	440	5,3	252-550-116	000361:550:x	3-10	6
600	0,017	0,01	480	5,9	252-600-116	000361:600:x	3-10	6
700	0,014	0,01	560	6,9	252-700-116	000361:700:x	3-10	6
800	0,011	0,01	640	7,6	252-800-116	000361:800:x	3-10	6
900	0,009	0,01	720	8,2	252-900-116	000361:900:x	3-10	5

All data refers to a medium and ambient temperature of +20 °C.

* Refers to the inner hose lining

Subject to technical changes and colour deviations.

Order-specific production

- Order-specific production in above listed sizes and lengths of 3 to 10m

Available on request

- Available on request in other lengths, sizes, colours, spiral intervals, with stainless steel spirals.