





Master-Tube TPEE

Modified hose with high mechanical strength and good flexibility



spiral-free

Product Details

Construction / Material

- Type of construction: extruded hose without metal spiral
- Execution of the wall: made of highly abrasion-resistant material, made of a material that is insensitive to stress corrosion cracking, made of a material with high impact strength

Properties

- Chemical Properties: good resistance to oil, good UV resistance, halogen-free, plasticiser-free, good resistance to fats, free from paint wetting impairment substances (LABS)
- Physical Properties: good damping behaviour
- Colour: nature

Operating Temperature

• Temperature Range: -40 - 120

Delivery Information

• Delivery, type of production: inner diameter: 2.0 - 11.0 mm, outer diameter: 4.0 - 14.0 mm

Application Areas

 Areas of application: Automotive, Plant & Mechanical Engineering, Robotics & Automation, Industry, Bulk & Construction, Sea & Rail transport, Conveying, lifting & feeding technology, Vehicle Construction, Metal & Toolmaking

Customizing Options

 optional item modification (on request): other colours, spiral version, shaped hose, rolls, cut-to-size sections

Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

Disposal instructions

After use, the product must be disposed of in accordance with the legal regulations applicable in the user's region (in Germany in accordance with the applicable Waste Catalogue Ordinance (AVV)).

Individual consultation

We offer consultation by phone:

+49 209 97077-112

Product requests via masterflex.de/en

Address Headquarters

Masterflex SE Willy-Brandt-Allee 300 45981 Gelsenkirchen

