



Master-Tube TPEE

Modified hose with high mechanical strength and good flexibility

Product Details

Construction / Material

- Execution of the wall: made of highly abrasion-resistant material, made of a material that is insensitive to stress corrosion cracking, made of a material with high impact strength

Properties

- Chemical Properties: good resistance to oil, good UV resistance, halogen-free, plasticiser-free, good resistance to fats, free from paint wetting impairment substances (LABS)
- Physical Properties: good damping behaviour
- Colour: nature

Operating Temperature

- Temperature Range: -40 - 120

Delivery Information

- Delivery, type of production: Inner diameter: 2.0 - 11.0 mm, Outer diameter: 4.0 - 14.0 mm

Application Areas

- Areas of application: Automotive, Plant & Mechanical Engineering, Robotics & Automation, Industry, Bulk & Construction, Sea & rail transport, Conveying, lifting & feeding technology, Vehicle construction, Metal & Toolmaking

Customizing Options

- optional item modification (on request): other colours, Spiral version, Shaped hose, Rolls, cut-to-size sections

Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

Individual consultation

We offer consultation by
phone:
+49 209 97077-112

Product requests via
[masterflex.de/en](https://www.masterflex.de/en)

Address Headquarters

Masterflex SE
Willy-Brandt-Allee 300
45981 Gelsenkirchen

